

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssptayvv1621

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page for STN Seminar Schedule - N. America
NEWS 2 AUG 15 CAOLD to be discontinued on December 31, 2008
NEWS 3 OCT 07 EPFULL enhanced with full implementation of EPC2000
NEWS 4 OCT 07 Multiple databases enhanced for more flexible patent
number searching
NEWS 5 OCT 22 Current-awareness alert (SDI) setup and editing
enhanced
NEWS 6 OCT 22 WPIDS, WPINDEX, and WPIX enhanced with Canadian PCT
Applications
NEWS 7 OCT 24 CHEMLIST enhanced with intermediate list of
pre-registered REACH substances
NEWS 8 NOV 21 CAS patent coverage to include exemplified prophetic
substances identified in English-, French-, German-,
and Japanese-language basic patents from 2004-present
NEWS 9 NOV 26 MARPAT enhanced with FSORT command
NEWS 10 NOV 26 MEDLINE year-end processing temporarily halts
availability of new fully-indexed citations
NEWS 11 NOV 26 CHEMSAFE now available on STN Easy
NEWS 12 NOV 26 Two new SET commands increase convenience of STN
searching
NEWS 13 DEC 01 ChemPort single article sales feature unavailable

NEWS EXPRESS JUNE 27 08 CURRENT WINDOWS VERSION IS V8.3,
AND CURRENT DISCOVER FILE IS DATED 23 JUNE 2008.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 14:43:31 ON 12 DEC 2008

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'REGISTRY' ENTERED AT 14:43:56 ON 12 DEC 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 11 DEC 2008 HIGHEST RN 1083154-18-0
DICTIONARY FILE UPDATES: 11 DEC 2008 HIGHEST RN 1083154-18-0

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH July 5, 2008.

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>


Uploading C:\Program Files\Stnexp\Queries\10528356.str

L1 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> s l1

SAMPLE SEARCH INITIATED 14:44:15 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 7 TO ITERATE

100.0% PROCESSED 7 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**

PROJECTED ITERATIONS: 7 TO 298

PROJECTED ANSWERS: 0 TO 0

L2 0 SEA SSS SAM L1

=> s l1 full

FULL SEARCH INITIATED 14:44:19 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 187 TO ITERATE

100.0% PROCESSED 187 ITERATIONS

1 ANSWERS

SEARCH TIME: 00.00.01

L3 1 SEA SSS FUL L1

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

178.36

178.57

FILE 'CAPLUS' ENTERED AT 14:44:25 ON 12 DEC 2008

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 12 Dec 2008 VOL 149 ISS 25

FILE LAST UPDATED: 11 Dec 2008 (20081211/ED)

Caplus now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2008.

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/legal/infopolicy.html>

=> s l3

L4 1 L3

=> d l4

L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN

AN 2004:218548 CAPLUS

DN 140:277695

TI Process for preparation of a polycarboxylic composition comprising an electrochemical oxidation stage of a monosaccharide composition

IN Marsais, Francis; Feasson, Christian; Queguiner, Guy; Ibert, Mathias; Comini, Serge; Grossel, Jean Marc

PA Roquette Freres, Fr.

SO Fr. Demande, 31 pp.

CODEN: FRXXBL

DT Patent

LA French

FAN.CNT 1

PATENT NO.

KIND

DATE

APPLICATION NO.

DATE

E9	1	GLUCARIC ACID, 1,4-LACTONE, D-/CN
E10	1	GLUCARIC ACID, 1,4-LACTONE, D-, COMPD. WITH ETHYLENEDIAMINE/CN
E11	1	GLUCARIC ACID, 1,4-LACTONE, ETHYL ESTER, D-/CN
E12	1	GLUCARIC ACID, 1,4-LACTONE, ETHYL ESTER, L-/CN
E13	1	GLUCARIC ACID, 1,4-LACTONE, ETHYL ESTER, TRIACETATE, D-/CN
E14	1	GLUCARIC ACID, 1,4-LACTONE, ETHYL ESTER, TRIBENZOATE, D-/CN
E15	1	GLUCARIC ACID, 1,4-LACTONE, ETHYL ESTER, TRIBUTYRATE, D-/CN
E16	1	GLUCARIC ACID, 1,4-LACTONE, ETHYL ESTER, TRIHEXANOATE, D-/CN
E17	1	GLUCARIC ACID, 1,4-LACTONE, ETHYL ESTER, TRIMYRISTATE, D-/CN
E18	1	GLUCARIC ACID, 1,4-LACTONE, ETHYL ESTER, TRIPROPIONATE, D-/CN
E19	1	GLUCARIC ACID, 1,4-LACTONE, ETHYL ESTER, TRIS(O-CHLOROBENZOATE), D-/CN
E20	1	GLUCARIC ACID, 1,4-LACTONE, ETHYL ESTER, TRIS(P-NITROBENZOATE), D-/CN
E21	1	GLUCARIC ACID, 1,4-LACTONE, METHYL ESTER, D-/CN
E22	1	GLUCARIC ACID, 1,4-LACTONE, METHYL ESTER, L-/CN
E23	1	GLUCARIC ACID, 1,4-LACTONE, METHYL ESTER, TRIACETATE, D-/CN
E24	1	GLUCARIC ACID, 1,4-LACTONE, METHYL ESTER, TRIBUTYRATE, D-/CN
E25	1	GLUCARIC ACID, 1,4-LACTONE, METHYL ESTER, TRIMYRISTATE, D-/CN

=> s e3

L5 1 "GLUCARIC ACID"/CN

=> file caplus

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	5.61	187.79

FILE 'CAPLUS' ENTERED AT 14:48:20 ON 12 DEC 2008

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 12 Dec 2008 VOL 149 ISS 25

FILE LAST UPDATED: 11 Dec 2008 (20081211/ED)

Caplus now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2008.

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/legal/infopolicy.html>

=> s 15

L6 297 L5

=> s 15 and composition

297 L5

741261 COMPOSITION

L7 20 L5 AND COMPOSITION

=> d 17 ibib abs hitstr 1-

YOU HAVE REQUESTED DATA FROM 20 ANSWERS - CONTINUE? Y/(N):y

L7 ANSWER 1 OF 20 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2007:62191 CAPLUS

DOCUMENT NUMBER: 146:149031

TITLE: Composition for improving the efficacy and reducing the side effects of omega 3 fatty acids, fish oils for cardiovascular and diabetic treatments

INVENTOR(S): Hendrix, Curt

PATENT ASSIGNEE(S): USA

SOURCE: U.S. Pat. Appl. Publ., 3pp.

CODEN: USXXCO

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 20070014866	A1	20070118	US 2006-484230	20060710
PRIORITY APPLN. INFO.:			US 2005-699669P	P 20050715

AB The present invention relates to a composition for improving the efficacy and reducing the side effects of omega-3 fatty acids and fish oils for cardiovascular disease and diabetes treatments. Synergistic therapeutic compns. for reducing triglycerides, lowering LDL and increasing HDL are formed by combining either pantethine or CoA, or a combination of pantethine and CoA with fish oils. Either pantethine or CoA, or a combination of pantethine and CoA, added to cardiovascular drugs or compns. for lowering cholesterol increases the therapeutic effects and decreasing the side effects of those drugs or compns. Either pantethine or CoA, or a combination of pantethine and CoA, added to drugs or compns. used in the treatment of Type I or Type II diabetes also increases the therapeutic effects and decreasing the side effects of those drugs or compns.

IT 25525-21-7D, Glucaric acid, salt


RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(composition for improving efficacy and reducing side effects of omega-3 fatty acids and fish oils for cardiovascular disease and diabetes treatments)

RN 25525-21-7 CAPLUS

CN Glucaric acid (CA INDEX NAME)

Relative stereochemistry.



L7 ANSWER 2 OF 20 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2006:919512 CAPLUS

DOCUMENT NUMBER: 145:320800

TITLE: Method for identifying skin care composition -resistant skin-binding peptides

INVENTOR(S): Wang, Hong; Wu, Ying; O'Brien, John P.

PATENT ASSIGNEE(S): USA

SOURCE: U.S. Pat. Appl. Publ., 27pp.

CODEN: USXXCO

DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 20060199206	A1	20060907	US 2006-359162	20060222
AU 2006218544	A1	20060908	AU 2006-218544	20060228
CA 2599740	A1	20060908	CA 2006-2599740	20060228
WO 2006094093	A2	20060908	WO 2006-US7362	20060228
WO 2006094093	A3	20080403		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AP, EA, EP, OA				
EP 1856311	A2	20071121	EP 2006-736643	20060228
R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, AL, BA, HR, MK, YU				
JP 2008537479	T	20080918	JP 2007-558195	20060228
IN 2007DN07418	A	20071109	IN 2007-DN7418	20070926
KR 2007112827	A	20071127	KR 2007-722263	20070928
CN 101218356	A	20080709	CN 2006-80014985	20071101
PRIORITY APPLN. INFO.:			US 2005-657494P	P 20050301
			WO 2006-US7362	W 20060228

AB A method for identifying skin care composition-resistant skin-binding peptides is described. The skin care composition-resistant skin-binding peptides bind strongly to skin from a skin care composition matrix and are stable therein. Peptide-based skin benefit agents, such as skin conditioners and skin colorants, based on the skin care composition-resistant skin binding peptides are described. The peptide-based skin conditioners and skin colorants consist of skin care composition-resistant skin-binding peptide coupled to a skin conditioning agent or a coloring agent, either directly or through an optional spacer. Skin care and skin coloring product compns. comprising these peptide-based skin conditioners and colorants are also described.


IT 25525-21-7, Glucaric acid

RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses)
(identifying skin care composition-resistant skin-binding peptides)

RN 25525-21-7 CAPLUS

CN Glucaric acid (CA INDEX NAME)

Relative stereochemistry.



DOCUMENT NUMBER: 142:433094
 TITLE: Methods and composition for cleaning and passivating fuel cell systems
 INVENTOR(S): Yang, Bo; Woyciesjes, Peter M.; Marinho, Filipe J.
 PATENT ASSIGNEE(S): Prestone Products Corp., USA
 SOURCE: U.S., 10 pp.
 CODEN: USXXAM
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 6887597	B1	20050503	US 2004-838046	20040503
US 20050245411	A1	20051103	US 2005-89264	20050324
US 7442676	B2	20081028		
WO 2005108644	A2	20051117	WO 2005-US15335	20050503
WO 2005108644	A3	20060309		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
EP 1761966	A2	20070314	EP 2005-744454	20050503
R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR				
CN 1981402	A	20070613	CN 2005-80022215	20050503
JP 2007536707	T	20071213	JP 2007-511503	20050503
PRIORITY APPLN. INFO.: US 2004-838046 A3 20040503				
WO 2005-US15335 W 20050503				

AB A cleaner-passivator composition and method for treating a fuel cell cooling system are described. The cleaner-passivator comprises a complexing agent, a surfactant, a corrosion inhibitor, and a solvent. The cleaner-passivator reduces the contaminants circulating in the fuel cell coolant system that contribute to increasing conductivity in the fuel cell coolant. In addition, the passivator reduces the surface corrosion in the fuel cell system.

IT 25525-21-7, Glucaric acid


RL: TEM (Technical or engineered material use); USES (Uses)

(passivator composition; methods and composition for cleaning and passivating fuel cell systems)

RN 25525-21-7 CAPLUS

CN Glucaric acid (CA INDEX NAME)

Relative stereochemistry.



REFERENCE COUNT: 22 THERE ARE 22 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 4 OF 20 CAPLUS COPYRIGHT 2008 ACS on STN
ACCESSION NUMBER: 2005:325523 CAPLUS
DOCUMENT NUMBER: 142:372895
TITLE: Low-sugar and low-flour food composition and its manufacture
INVENTOR(S): Slilaty, George E.
PATENT ASSIGNEE(S): USA
SOURCE: U.S. Pat. Appl. Publ., 7 pp.
CODEN: USXXCO
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 20050079247	A1	20050414	US 2003-683378	20031014
PRIORITY APPLN. INFO.:			US 2003-683378	20031014

AB A food composition includes a base that is not primarily of flour and sugar, and a supplement (e.g., vitamins, minerals, amino acids, etc.). Thus, the base may include plant and grain proteins, fiber, carbohydrates, etc. Other base components may include milk (or milk proteins) and egg or egg derivs. The composition is functional as a substitute for traditional flour-and-sugar food products to mimic the organeoleptic properties of such traditional food products to thus provide the consumer with a product that is both tasty and pleasant in smell while simultaneously affording the consumer with a properly nutritious product to meet needed dietary requirements for a healthy lifestyle. Examples include muffins, doughnuts, pastas, pancakes and waffles. A method of making this food composition is also provided.

IT 25525-21-7, Glucaric acid
RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
(low-sugar and low-flour food composition and its manufacture)

RN 25525-21-7 CAPLUS
CN Glucaric acid (CA INDEX NAME)

Relative stereochemistry.



L7 ANSWER 5 OF 20 CAPLUS COPYRIGHT 2008 ACS on STN
ACCESSION NUMBER: 2004:794537 CAPLUS
DOCUMENT NUMBER: 141:282419
TITLE: Dyeing composition for keratin fibers comprising a hydroxycarboxylic acid or a salt thereof, ready to use composition comprising the preceding, dyeing process, and kit
INVENTOR(S): Desenne, Patricia; Millequant, Jean-Marie
PATENT ASSIGNEE(S): L'oreal, Fr.
SOURCE: Eur. Pat. Appl., 24 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: French

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1462092	A1	20040929	EP 2004-290798	20040325
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK, HR				
FR 2852832	A1	20041001	FR 2003-50061	20030325
FR 2852832	B1	20080627		
US 20040221401	A1	20041111	US 2004-809019	20040325
US 7267696	B2	20070911		
PRIORITY APPLN. INFO.:			FR 2003-50061	A 20030325
			US 2003-461302P	P 20030408

OTHER SOURCE(S): MARPAT 141:282419

AB Hair dye compns. comprising an oxidation base, a direct dye, and a hydroxycarboxylic acid or salts thereof are claimed. A hair dye preparation contained cetylstearyl alc. 13, polyoxyethylene lauryl alc. 8, polyoxyethylene decyl alc. 6, polyoxyethylene oleocetyl alc. 4, lauryl alc. 5, monoethanolamine 2, Mexomere PO 1, glycol distearate 4, silica 2, Carbopol-980 0.6, mucic acid 1, 1,3-dihydroxybenzene 0.67, paraphenylenediamine 0.88, 5-N-(β -hydroxyethyl)amino-2-methyl-phenol 0.055, 2-methyl-1,3-dihydroxybenzene 0.11, para-aminophenol 0.27, 4-(methylamino)phenol hemisulfate 0.26, 1-hydroxy-3-aminobenzene 0.16, perfume q.s., antioxidant q.s., reducing agent q.s., 20% ammonia 11.1, and water q.s. 100%. At the time of use the preparation is mixed with equal amts. of 6% hydrogen peroxide and applied on the hair for 30 min, then rinsed to obtain the selected color.


IT 25525-21-7, Glucaric acid 25525-21-7D, Glucaric acid, salts

RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses)
(dyeing composition for keratin fibers comprising hydroxycarboxylic acid or salt thereof)

RN 25525-21-7 CAPLUS

CN Glucaric acid (CA INDEX NAME)


Relative stereochemistry.



RN 25525-21-7 CAPLUS

CN Glucaric acid (CA INDEX NAME)

Relative stereochemistry.



L7 ANSWER 6 OF 20 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2004:794535 CAPLUS

DOCUMENT NUMBER: 141:282417

TITLE: Oxidizing hair composition comprising hydroxycarboxylic acids and their salts as complexing agents
 INVENTOR(S): Legrand, Frederic; Millequant, Jean-Marie
 PATENT ASSIGNEE(S): L'oreal, Fr.
 SOURCE: Eur. Pat. Appl., 24 pp.
 CODEN: EPXXDW
 DOCUMENT TYPE: Patent
 LANGUAGE: French
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1462090	A1	20040929	EP 2004-101242	20040325
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK				
FR 2852834	A1	20041001	FR 2003-50063	20030325
FR 2852834	B1	20080215		
US 20050011017	A1	20050120	US 2004-809564	20040325
PRIORITY APPLN. INFO.:			FR 2003-50063	A 20030325
			US 2003-461984P	P 20030411

OTHER SOURCE(S): MARPAT 141:282417


AB Cosmetic compns. containing hydroxycarboxylic acids, e.g. mucic acid, and salts thereof are used as complexing agents for bleaching, dying, or permanently deforming keratin fibers, particularly hair. An oxidising composition for use in hair bleach contained sodium lauryl sulfate 0.5, cetyl alc. 3, polyglycerol oleyl alc. 0.8, simethicone 0.045, gluconic acid 0.1, tetrasodium pyrophosphate tetrahydrate 0.02, sodium stannate 0.04, 50% hydrogen peroxide 12, 85% phosphoric acid soln q.s. pH = 2, and water q.s. 100%.

IT 25525-21-7, Glucaric acid 25525-21-7D, Glucaric acid, salts
 RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses)
 (oxidising hair composition comprising hydroxycarboxylic acids and their salts as complexing agents)

RN 25525-21-7 CAPLUS

CN Glucaric acid (CA INDEX NAME)


Relative stereochemistry.



RN 25525-21-7 CAPLUS

CN Glucaric acid (CA INDEX NAME)

Relative stereochemistry.



ACCESSION NUMBER: 1994:603656 CAPLUS
 DOCUMENT NUMBER: 121:203656
 ORIGINAL REFERENCE NO.: 121:37083a,37086a
 TITLE: Optimization of the simultaneous determination of acids and sugars as their trimethylsilyl(oxime) derivatives by gas chromatography-mass spectrometry and determination of the composition of six apple varieties
 AUTHOR(S): Tisza, Sandor; Sass, Pal; Molnar-Perl, Ibolya
 CORPORATE SOURCE: Institute of Inorganic and Analytical Chemistry, L. Eotvos University, Budapest, H-1518, Hung.
 SOURCE: Journal of Chromatography, A (1994), 676(2), 461-8
 CODEN: JCRAEY; ISSN: 0021-9673
 DOCUMENT TYPE: Journal
 LANGUAGE: English


AB A GC-MS method is reported for establishing the reproducibility of the determination of widely different amts. of sugars and acids as their trimethylsilyl derivs. simultaneously, from one solution with one injection. Optimum conditions were achieved on a 30-m DB-5 column. The determination of the

components was based on their TIC and on selected ion monitoring. Data furnished by a Varian Saturn II GC-MS system equipped with a Varian Model 8200 AutoSampler showed that 4-20 ng of the minor constituents, in the presence of 50-250 ng of the main components, could be determined with a relative standard deviation of 10.6% or less. The utility of the procedure was demonstrated by the anal. of the composition of six different apple varieties, gathered at three different times of ripeness, in two consecutive years (1991, 1992), and stored for various periods of time. The separated carboxylic acids and sugars were phosphoric, succinic, pyruvic, 5-hydroxy-N-valeric and malic acid, butanal, 3-methyl-2-hydroxy-2-butenic acid, 1,2-hydroxycyclohexene, pimelic acid, 2-deoxy-D-erythrose, tartaric acid, xylitol, arabinose, caffeic acid, D-ribose, citric acid, rhamnose, quinic acid D-erythro-tetrafurano, talose, 2-ketogluconic acid, mannitol, sorbitol, fructose, galactose, glucose, fructose (open form), glucaric and galacturonic acid, lactose, meso-inositol, gluconic, linoleic, glucuronic, stearic and arachidic acid, sucrose, turanose, maltose, chlorogenic acid, β -sitosterol, raffinose and maltotriose.

IT 25525-21-7, Glucaric acid
 RL: ANT (Analyte); BOC (Biological occurrence); BSU (Biological study, unclassified); ANST (Analytical study); BIOL (Biological study); OCCU (Occurrence)
 (carboxylic acids and sugars determination in apples by gas chromatog.-mass spectrometry of trimethylsilyl(oxime) derivs.)

RN 25525-21-7 CAPLUS
 CN Glucaric acid (CA INDEX NAME)

Relative stereochemistry.



ACCESSION NUMBER: 1993:600321 CAPLUS
 DOCUMENT NUMBER: 119:200321
 ORIGINAL REFERENCE NO.: 119:35641a,35644a
 TITLE: Measurement and its fluctuation of urinary glucaric


acid in newborns
AUTHOR(S): Okuyama, Teruaki; Mizumoto, Yoshifumi; Endo, Ryoichi;
Hiramatsu, Hisakazu; Horie, Minoru; Saeki, Hikaru;
Abe, Masao
CORPORATE SOURCE: Tokyo Metrop. Tsukiji Matern. Hosp., Tokyo, Japan
SOURCE: Nippon Sanka Fujinka Gakkai Zasshi (1993), 45(7),
629-35
CODEN: NISFAY; ISSN: 0300-9165

DOCUMENT TYPE: Journal
LANGUAGE: Japanese

AB It is known that urinary excretion of glucaric acid (GA) is an indirect index of hepatic P 450 microenzyme induction. The authors measured and analyzed urinary excretion of GA in newborns and mothers by a new method for the inhibition of β -glucuronidase activity and obtained the following results. The concentration of urinary GA was correlated with that of urinary creatinine and total bilirubin in newborns. There were no significant correlations between gestational age, sex, body weight at birth, placental weight, and the urinary GA concentration. The urinary excretion of GA in newborns was decreased in the 1st few days after birth, but a transitional increase was observed on the 5th day after birth. The concentration of urinary GA was correlated with that of direct bilirubin in serum on the 5th day after birth. There was a neg. correlation between the urinary GA concentration on the 1st day after birth and that of direct bilirubin in serum on the 5th day after birth. These results suggested that hepatic P 450 microsomal enzyme was induced by bilirubin in newborns and it was possible to estimate the clin. course of jaundice by measuring the urinary excretion of GA.

IT 25525-21-7, Glucaric acid
RL: BIOL (Biological study)
(of urine, of human newborn, bilirubin in relation to)
RN 25525-21-7 CAPLUS
CN Glucaric acid (CA INDEX NAME)

Relative stereochemistry.



L7 ANSWER 9 OF 20 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 1990:457640 CAPLUS

DOCUMENT NUMBER: 113:57640

ORIGINAL REFERENCE NO.: 113:9753a,9756a

TITLE: Effect of calcium glucarate on β -glucuronidase activity and glucarate content of certain vegetables and fruits

AUTHOR(S): Dwivedi, Chandradhar; Heck, Wendy J.; Downie, Alan A.; Larroya, Saroj; Webb, Thomas E.

CORPORATE SOURCE: Coll. Pharm., South Dakota State Univ., Brookings, SD, 57007, USA

SOURCE: Biochemical Medicine and Metabolic Biology (1990), 43(2), 83-92

CODEN: BMMBES; ISSN: 0885-4505

DOCUMENT TYPE: Journal


LANGUAGE: English

AB Glucarate is normally present in tissues and body fluids and is in equilibrium

with D-glucaro-1,4-lactone, a natural inhibitor of β -glucuronidase activity. Dietary Ca glucarate (CaG), a sustained-release form of glucarate, elevates the blood level of D-glucaro-1,4-lactone, which suppresses blood and tissue β -glucuronidase activity. A single dose of CaG (4.5 mmol/kg body weight) inhibited β -glucuronidase activity in serum and liver, lung, and intestinal microsomes by 57, 44, 37, and 39%, resp. A chronic administration of CaG (4% of diet) also decreased β -glucuronidase activity in intestinal and liver monosomes. Maximal inhibition of β -glucuronidase activity in serum was observed from 12 noon to 2:00 p.m. In contrast, maximum inhibition of β -glucuronidase activity in intestinal and liver microsomes occurred during mornings, although a secondary depression in intestinal microsomes also occurred around 4 p.m. A 4% CaG-supplemented diet also inhibited β -glucuronidase activity (by 70% and 54%) of the bacterial flora obtained from proximal (small intestine) and distal (colon) segments of the intestine, resp. Due to the potential effect of dietary glucarate on net glucuronidation and on other metabolic pathways, glucaric acid levels in various foods were determined

IT 25525-21-7, Glucaric acid
 RL: BIOL (Biological study)
 (of vegetables and fruits)
 RN 25525-21-7 CAPLUS
 CN Glucaric acid (CA INDEX NAME)


Relative stereochemistry.




L7 ANSWER 10 OF 20 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 1986:66672 CAPLUS
 DOCUMENT NUMBER: 104:66672
 ORIGINAL REFERENCE NO.: 104:10641a,10644a
 TITLE: The relationship between hepatic microsomal biphenyl 2-hydroxylase, 4-hydroxylase and urinary glucaric acid excretion in the rat
 AUTHOR(S): Kinoshita, Haruki; Tanaka, E.; Yoshida, T.; Kuroiwa, Y.
 CORPORATE SOURCE: Res. Lab., Chigai Pharm. Co. Ltd., Tokyo, 176, Japan
 SOURCE: European Journal of Drug Metabolism and Pharmacokinetics (1985), 10(3), 247-51
 CODEN: EJDPD2; ISSN: 0398-7639
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 AB Treatment of rats with phenobarbital (PB) increased microsomal biphenyl 4-hydroxylase activity and urinary glucaric acid excretion. Hepatic microsomal biphenyl 4-hydroxylase activity was correlated with urinary glucaric excretion in PB-treated rats. Hepatic microsomal biphenyl 2-hydroxylase activity was not correlated with urinary glucaric excretion in PB, 3-methylcholanthrene, and β -naphthoflavone-treated rats. Pretreatment of rats with CCl4 decreased urinary glucaric acid excretion and biphenyl 2- and 4-hydroxylase activities. On the other hand, pretreatment with CaCl2 decreased these enzyme activities, but not urinary glucaric acid excretion. The urinary glucaric acid level may not always provide an index for assessment of hepatic drug-metabolizing enzyme activity.
 IT 25525-21-7

RL: BIOL (Biological study)
 (of urine, biphenyl hydroxylases of liver microsome in relation to)
 RN 25525-21-7 CAPLUS
 CN Glucaric acid (CA INDEX NAME)

Relative stereochemistry.




L7 ANSWER 11 OF 20 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 1983:102318 CAPLUS
 DOCUMENT NUMBER: 98:102318
 ORIGINAL REFERENCE NO.: 98:15521a,15524a
 TITLE: Effect of some xenobiotics on the activities of
 enzymes relating to the glucuronic acid pathway and on
 the ascorbic acid metabolism in guinea pigs
 AUTHOR(S): Horio, Fumihiko; Kimura, Mayumi; Yoshida, Akira
 CORPORATE SOURCE: Dep. Agric. Chem., Nagoya Univ., Nagoya, 464, Japan
 SOURCE: Agricultural and Biological Chemistry (1982), 46(12),
 3101-103
 CODEN: ABCHA6; ISSN: 0002-1369
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 GI



AB The administration of PCB significantly reduced the body weight gain for 14
 days, with DDT (I) [50-29-3] and aminopyrine [58-15-1] showing no
 effect. Urinary excretion of glucaric acid [25525-21-7] was
 also remarkably increased with the PCB diet. Ingestion of PCB increased
 the activities of UDP-glucose dehydrogenase [9028-26-6], UDP-glucuronyl
 transferase [9030-08-4], β -glucuronidase [9001-45-0], and
 UDP-glucuronic acid pyrophosphatase [52227-94-8]. However, the other
 xenobiotics did not cause any significant change in any enzyme activity.
 Urinary excretion of ascorbic acid [50-81-7] was reduced by feeding the
 PCB diet. In the DDT group, there was no change in the urinary compound
 IT 25525-21-7
 RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL
 (Biological study); PROC (Process)
 (metabolism of, xenobiotics effect on)
 RN 25525-21-7 CAPLUS
 CN Glucaric acid (CA INDEX NAME)

Relative stereochemistry.



L7 ANSWER 12 OF 20 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 1982:418589 CAPLUS

DOCUMENT NUMBER: 97:18589

ORIGINAL REFERENCE NO.: 97:3217a,3220a

TITLE: Effect of dietary level of sulfur-containing amino acids on liver drug-metabolizing enzymes, serum cholesterol and urinary ascorbic acid in rats fed PCB

AUTHOR(S): Kato, Norihisa; Mochizuki, Satoshi; Kawai, Kyoko; Yoshida, Akira

CORPORATE SOURCE: Dep. Agric. Chem., Nagoya Univ., Nagoya, 464, Japan


SOURCE: Journal of Nutrition (1982), 112(5), 848-54

CODEN: JONUAI; ISSN: 0022-3166

DOCUMENT TYPE: Journal

LANGUAGE: English

GI



I

AB Maximum gain in body weight in rats was observed with 0.5% S-containing amino acids

(S-AA) diets with or without PCB (300 ppm) addition Metabolic parameters increased by PCB were liver weight, activities of hepatic aminopyrine N-demethylase [9037-69-8] and aniline hydroxylase [9012-80-0], serum total cholesterol (I) [57-88-5], serum high-d. lipoprotein I, serum corticosterone [50-22-6] and urinary metabolites of the glucuronic acid pathway including ascorbic acid [50-81-7], glucuronic acid [6556-12-3] and glucaric acid [25525-21-7]. In the PCB-treated animals, maximum values of liver weight, aminopyrine demethylase activity, serum I,

serum

corticosterone, urinary ascorbic acid and glucaric acid were obtained with .apprx.0.8% S-AA. For the maximum induction of these metabolic responses, 0.5% S-AA was not enough. Urinary glucuronic acid and the ratio of lower d. lipoprotein I vs. high-d. lipoprotein I were decreased with a supplement of S-AA to PCB-containing diets.

IT 25525-21-7


RL: BIOL (Biological study)

(of urine, PCB effect on, sulfur-containing amino acids in relation to)


RN 25525-21-7 CAPLUS

CN Glucaric acid (CA INDEX NAME)

Relative stereochemistry.




L7 ANSWER 13 OF 20 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 1980:437591 CAPLUS
 DOCUMENT NUMBER: 93:37591
 ORIGINAL REFERENCE NO.: 93:6101a,6104a
 TITLE: Measurement of hepatic drug-metabolizing enzyme activity in man. Comparison of three different assays
 AUTHOR(S): Sotaniemi, Eero A.; Pelkonen, R. O.; Puukka, M.
 CORPORATE SOURCE: Dep. Intern. Med. Pharmacol., Univ. Oulu, Oulu, Finland
 SOURCE: European Journal of Clinical Pharmacology (1980), 17(4), 267-74
 CODEN: EJCPAS; ISSN: 0031-6970
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 GI




AB Three parameters of hepatic drug metabolism, cytochrome P-450 [9035-51-2] content, antipyrine (I) [60-80-0] metabolism, and urinary excretion of glucaric acid (GA) [25525-21-7], were investigated in patients who underwent diagnostic liver needle biopsy. P-450 and I metabolism, but not GA, were related to histol. changes in the liver. All the parameters were increased in subjects treated with enzyme-inducing drugs, the extent of induction being related to alterations in liver histol. The largest responses were seen in subjects with an intact liver and the smallest in those with hepatitis or cirrhosis. Therapy with inducers partly compensated for the impairment in drug metabolism caused by disease; thus, some patients with altered liver had normal values in the tests if they had been treated with inducers.
 IT 25525-21-7
 RL: BIOL (Biological study)
 (of urine, drugs and liver disease effect on, drug-metabolizing enzymes of liver in relation to)
 RN 25525-21-7 CAPLUS
 CN Glucaric acid (CA INDEX NAME)

Relative stereochemistry.




L7 ANSWER 14 OF 20 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 1978:453507 CAPLUS
DOCUMENT NUMBER: 89:53507
ORIGINAL REFERENCE NO.: 89:8251a,8254a
TITLE: 3-Trifluoromethyl- α -ethylbenzhydrol (RGH-3332).
Liver enzyme induction and D-glucaric acid excretion
AUTHOR(S): Varadi, A.
CORPORATE SOURCE: 1st Dep. Med., Semmelweis Univ. Med. Sch., Budapest,
Hung.
SOURCE: Arzneimittel-Forschung (1978), 28(4), 678-9
CODEN: ARZNAD; ISSN: 0004-4172
DOCUMENT TYPE: Journal
LANGUAGE: English
GI



AB RGH-3332 (I) [56430-99-0] (300-900 mg/day, orally for 10 days) given to
patients increased glucaric acid [25525-21-7] excretion in a
dose-dependent manner, suggesting that I induced drug-metabolizing
enzymes. No adverse effects were observed
IT 25525-21-7
RL: PROC (Process)
(of urine, trifluoromethylethylbenzhydrol increase of,
drug-metabolizing enzyme induction in relation to)
RN 25525-21-7 CAPLUS
CN Glucaric acid (CA INDEX NAME)

Relative stereochemistry.



L7 ANSWER 15 OF 20 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 1978:430802 CAPLUS
DOCUMENT NUMBER: 89:30802
ORIGINAL REFERENCE NO.: 89:4683a,4686a
TITLE: Composition with pharmaceutical and/or
antimicrobial activity, containing glucaric acid or
its derivatives
INVENTOR(S): Koehler, Valentin; Koehler, Julian
PATENT ASSIGNEE(S): Fed. Rep. Ger.
SOURCE: Ger. Offen., 13 pp.
CODEN: GWXXBX
DOCUMENT TYPE: Patent
LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 2651947	A1	19780518	DE 1976-2651947	19761113
DE 2727799	A1	19790104	DE 1977-2727799	19770621
FR 2370471	A1	19780609	FR 1977-34050	19771110
NL 7712421	A	19780517	NL 1977-12421	19771111
JP 53104736	A	19780912	JP 1977-135777	19771114
PRIORITY APPLN. INFO.:			DE 1976-2651947	A 19761113
			DE 1977-2727799	A 19770621

OTHER SOURCE(S): MARPAT 89:30802


AB Pharmacol. and bactericidal compns. contain glucaric acid, its salts, esters, amides, or lactone. The compds. have bactericidal, and fungicidal activity for all types of applications, and antiinflammatory activity (no data).

IT 25525-21-7D, derivs.
RL: BIOL (Biological study)
(for pharmaceuticals)

RN 25525-21-7 CAPLUS

CN Glucaric acid (CA INDEX NAME)

Relative stereochemistry.



L7 ANSWER 16 OF 20 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 1977:594101 CAPLUS

DOCUMENT NUMBER: 87:194101

ORIGINAL REFERENCE NO.: 87:30619a,30622a

TITLE: Excretion of D-glucaric acid and metabolism of salicylamide in man: the effect of phenobarbital-produced enzymic induction

AUTHOR(S): Drzewiecki, Janusz

CORPORATE SOURCE: Inst. Intern. Dis., Silesian Med. Acad., Katowice, Pol.

SOURCE: Polish Journal of Pharmacology and Pharmacy (1977), 29(4), 359-66

CODEN: PJPPAA; ISSN: 0301-0244

DOCUMENT TYPE: Journal

LANGUAGE: English

AB In 16 young healthy subjects the composition of salicylamide [65-45-2] metabolites and the rate of their excretion depended on the loading dose. After 5 days of treatment with phenobarbital [50-06-6] the excretion of glucaric acid (GLA) [25525-21-7] and the rate of excretion and degree of glucuronidization of salicylamide metabolites increased over 2-fold. The rate of excretion and degree of glucuronidization were correlated with the amount of excreted GLA. The value of assay of GLA for the assessment of induction of hepatocytic microsomal enzymes is discussed.


IT 25525-21-7

RL: BIOL (Biological study)
(of urine, pharmaceutical metabolism by liver enzymes induction by phenobarbital determination in relation to)

RN 25525-21-7 CAPLUS

CN Glucaric acid (CA INDEX NAME)

Relative stereochemistry.



L7 ANSWER 17 OF 20 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 1977:496157 CAPLUS

DOCUMENT NUMBER: 87:96157

ORIGINAL REFERENCE NO.: 87:15212h,15213a

TITLE: Hepatic microsomal enzyme induction and its evaluation in a clinical laboratory

AUTHOR(S): Herzberg, M.; Fishel, B.; Wiener, M. H.

CORPORATE SOURCE: Sackler Sch. Med., Tel Aviv Univ., Tel Aviv, Israel

SOURCE: Israel Journal of Medical Sciences (1977), 13(5), 471-6

CODEN: IJMDAI; ISSN: 0021-2180

DOCUMENT TYPE: Journal

LANGUAGE: English

AB Whether short-term treatment with α -methyldopa [555-30-6], quinidine (I) [56-54-2], digoxin [20830-75-5], diazepam (II) [439-14-5] or furosemide [54-31-9] was capable of stimulating the activity of hepatic microsomal drug-metabolizing enzymes was determined. Glucaric acid (GA) [25525-21-7] excretion and serum activity of γ -glutamyl transpeptidase (GGT) [9046-27-9] were used as indicators of hepatic microsomal enzyme activity. Increased GA excretion was found in 45% and increased serum GGT activity in 40% of the patients on drug treatment. Only 14.3% showed an increase in both indicators. The excretion of GA rose in patients who received drugs for more than 10 days, as compared with those who received drugs for less than 10 days, whereas the percentage of high GGT values did not rise with increased duration of treatment. The lack of correlation between serum GGT activity and GA excretion renders the value of GGT doubtful as a consistent indicator of microsomal enzyme induction. GA excretion, on the other hand, seems to be a dependable index of microsomal enzyme induction in response to short-term treatment with standard doses of several widely used drugs.

IT 25525-21-7


RL: BIOL (Biological study)

(of urine, in evaluation of hepatic microsomal enzyme induction by drugs)

RN 25525-21-7 CAPLUS

CN Glucaric acid (CA INDEX NAME)

Relative stereochemistry.




L7 ANSWER 18 OF 20 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 1976:571923 CAPLUS

DOCUMENT NUMBER: 85:171923
ORIGINAL REFERENCE NO.: 85:27421a,27424a
TITLE: Serum gamma-glutamyl transpeptidase activity and urinary D-glucaric acid excretion in newborns in the first week of life. Effects of phenobarbital and nicethamide combination
AUTHOR(S): Talafant, E.; Hoskova, A.; Pojerova, A.
CORPORATE SOURCE: First Paediatr. Clin., J. E. Purkyne Univ., Brno, Czech.
SOURCE: Acta Paediatrica Scandinavica (1976), 65(6), 685-8
CODEN: APSVAM; ISSN: 0001-656X
DOCUMENT TYPE: Journal
LANGUAGE: English
AB In newborns treated for 3 days following birth with a combination of phenobarbital [50-06-6] and nicethamide [59-26-7] an increase of γ -glutamyl transpeptidase [9046-27-9] activity occurred from the 4th to the 7th days. The 7th day levels were significantly higher when compared with the controls. Simultaneous determination of urinary glucaric acid [25525-21-7] excretion confirmed the induction of hepatic microsomal enzymes of the glucuronic acid pathway. This could also be demonstrated by a pronounced decrease of serum bilirubin levels in groups receiving the enzyme inducers whether phenobarbital was administered i.m. or orally as the sodium salt [57-30-7].
IT 25525-21-7
RL: BIOL (Biological study)
(of urine, nicethamide and phenobarbital effect on, in newborn)
RN 25525-21-7 CAPLUS
CN Glucaric acid (CA INDEX NAME)


Relative stereochemistry.



L7 ANSWER 19 OF 20 CAPLUS COPYRIGHT 2008 ACS on STN
ACCESSION NUMBER: 1963:456011 CAPLUS
DOCUMENT NUMBER: 59:56011
ORIGINAL REFERENCE NO.: 59:10335g-h
TITLE: The mechanism of oxidation of cellulose by atmospheric oxygen in alkaline medium. The chemical composition of the oxidation products
AUTHOR(S): Mayat, N. S.; Golova, O. P.; Nikolaeva, I. I.
SOURCE: Vysokomolekulyarnye Soedineniya (1963), 5(6), 873-4
CODEN: VMSDA8; ISSN: 0042-9368
DOCUMENT TYPE: Journal
LANGUAGE: Unavailable
AB The composition of soluble products from alkaline-oxidation of regenerated cellulose was determined by paper chromatography. In 1% NaOH at 100°, 20% of the initial material was dissolved in 5 hrs. With BuOH-pyridine-water, AgNO₃, and the universal indicator, the presence of trioses, tetroses, and pentaoses was disclosed as well as low-mol.weight neutral substances. With AcOEt-AcOH-water, saccharic acids and their lactones were found in the soluble products.
IT 25525-21-7, Glucaric acid
(from cellulose oxidation)

RN 25525-21-7 CAPLUS
CN Glucaric acid (CA INDEX NAME)

Relative stereochemistry.



L7 ANSWER 20 OF 20 CAPLUS COPYRIGHT 2008 ACS on STN
ACCESSION NUMBER: 1963:434102 CAPLUS
DOCUMENT NUMBER: 59:34102
ORIGINAL REFERENCE NO.: 59:6075f-g
TITLE: Composition for removal of heat scale and carbon deposits
INVENTOR(S): Arden, Benjamin
PATENT ASSIGNEE(S): Purex Corp., Ltd.
SOURCE: 5 pp.
DOCUMENT TYPE: Patent
LANGUAGE: Unavailable
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 3095380		19630625	US 1958-748183	19580714


PRIORITY APPLN. INFO.: US 19580714

AB Continuation-in-part of U.S. 2,992,995 (CA 55, 24505a), U.S. 2,843,509 (CA 53, 9526g), and U.S. 2,992,997 (CA 55, 23886b) A solution containing an alkanolamine which removes lead deposits, removes C deposits, and removes heat scale is described. The aqueous alkali solution contains an alkali metal compound which in solution gives free hydroxide. A polyalkanolpolyamine is included as a salt to act in conjunction with the alkali to convert the oxide deposits to a highly soluble form. These salts are derived from an aliphatic hydroxy acid such as lactic, citric, tartaric, gluconic, glyceric, malic, and saccharic acids. Evaporation is kept to a min. by using an organic solvent having a low vapor pressure in conjunction with water. Phenols in the form of alkali metal phenates are added to the solution to aid in C removal.

IT 25525-21-7, Glucaric acid
(salts, mixture with alkanolamines as cleaning composition for metals)

RN 25525-21-7 CAPLUS
CN Glucaric acid (CA INDEX NAME)

Relative stereochemistry.



=> file reg

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
FULL ESTIMATED COST	ENTRY	SESSION
	116.40	304.19
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
CA SUBSCRIBER PRICE	ENTRY	SESSION
	-16.00	-16.00

FILE 'REGISTRY' ENTERED AT 14:54:54 ON 12 DEC 2008
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
 provided by InfoChem.

STRUCTURE FILE UPDATES: 11 DEC 2008 HIGHEST RN 1083154-18-0
 DICTIONARY FILE UPDATES: 11 DEC 2008 HIGHEST RN 1083154-18-0

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH July 5, 2008.

Please note that search-term pricing does apply when
 conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
 predicted properties as well as tags indicating availability of
 experimental property data in the original document. For information
 on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>


Uploading C:\Program Files\Stnexp\Queries\10528356-briaodcl26.str

L8 STRUCTURE UPLOADED

=> d l8

L8 HAS NO ANSWERS

L8 STR



Structure attributes must be viewed using STN Express query preparation.

=> s l8

SAMPLE SEARCH INITIATED 14:59:22 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 451 TO ITERATE

100.0% PROCESSED 451 ITERATIONS 0 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 7746 TO 10294
PROJECTED ANSWERS: 0 TO 0

L9 0 SEA SSS SAM L8

=> s l8 full
FULL SEARCH INITIATED 14:59:28 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 8686 TO ITERATE

100.0% PROCESSED 8686 ITERATIONS 2 ANSWERS
SEARCH TIME: 00.00.01

L10 2 SEA SSS FUL L8

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	181.58	485.77
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	0.00	-16.00

FILE 'CAPLUS' ENTERED AT 14:59:32 ON 12 DEC 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 12 Dec 2008 VOL 149 ISS 25
FILE LAST UPDATED: 11 Dec 2008 (20081211/ED)

Caplus now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2008.

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/legal/infopolicy.html>

=> s l10
L11 2 L10

=> d l11 1-
YOU HAVE REQUESTED DATA FROM 2 ANSWERS - CONTINUE? Y/(N):y

L11 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN
AN 2004:218548 CAPLUS

DN 140:277695
 TI Process for preparation of a polycarboxylic composition comprising an electrochemical oxidation stage of a monosaccharide composition
 IN Marsais, Francis; Feasson, Christian; Queguiner, Guy; Ibert, Mathias; Comini, Serge; Grossel, Jean Marc
 PA Roquette Freres, Fr.
 SO Fr. Demande, 31 pp.
 CODEN: FRXXBL

DT Patent
 LA French

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE	
PI	FR 2844525	A1	20040319	FR 2002-11546	20020918	
	FR 2844525	B1	20050603			
	WO 2004027118	A1	20040401	WO 2003-FR2702	20030912	
	W:			AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW		
	RW:			GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG		
	AU 2003276334	A1	20040408	AU 2003-276334	20030912	
	EP 1540038	A1	20050615	EP 2003-797338	20030912	
	R:			AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK		
	US 20050252785	A1	20051117	US 2005-528356	20050318	
PRAI	FR 2002-11546	A	20020918			
	WO 2003-FR2702	W	20030912			

RE.CNT 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

L11 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN
 AN 1996:20665 CAPLUS
 DN 124:202745
 OREF 124:37493a,37496a
 TI Sonolysis and radiolysis of glyceraldehyde in de-aerated aqueous solution
 AU Fuchs, Eva; Heusinger, Helmut
 CS Institut Radiochemie, Technischen Universitaet Muenchen, Garching, D-85747, Germany
 SO Ultrasonics Sonochemistry (1995), 2(2), S105-S109
 CODEN: ULSOER; ISSN: 1350-4177
 PB Elsevier
 DT Journal
 LA English

=> d l11 ibib abs hitstr 1-
 YOU HAVE REQUESTED DATA FROM 2 ANSWERS - CONTINUE? Y/(N):y

L11 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 2004:218548 CAPLUS
 DOCUMENT NUMBER: 140:277695
 TITLE: Process for preparation of a polycarboxylic composition comprising an electrochemical oxidation stage of a monosaccharide composition
 INVENTOR(S): Marsais, Francis; Feasson, Christian; Queguiner, Guy; Ibert, Mathias; Comini, Serge; Grossel, Jean Marc
 PATENT ASSIGNEE(S): Roquette Freres, Fr.

SOURCE: Fr. Demande, 31 pp.
 CODEN: FRXXBL
 DOCUMENT TYPE: Patent
 LANGUAGE: French
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
FR 2844525	A1	20040319	FR 2002-11546	20020918
FR 2844525	B1	20050603		
WO 2004027118	A1	20040401	WO 2003-FR2702	20030912
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG AU 2003276334 A1 20040408 AU 2003-276334 20030912 EP 1540038 A1 20050615 EP 2003-797338 20030912 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK US 20050252785 A1 20051117 US 2005-528356 20050318 PRIORITY APPLN. INFO.: FR 2002-11546 A 20020918 WO 2003-FR2702 W 20030912				

AB The aim of present invention is a method of preparation of polycarboxylic composition, by electrochem. oxidation of monosaccharide carried out in absence of sodium hypochlorite and in presence of an oxide of amine and using an anode based on carbonaceous material. The aforementioned anode is selected in the group including carbon felts and the activated granulated carbon. The electrochem. oxidation can advantageously be led to pH ranging between 10 and 14.

IT 672953-31-0
 RL: CPS (Chemical process); PEP (Physical, engineering or chemical process); RCT (Reactant); PROC (Process); RACT (Reactant or reagent)
 (preparation of polycarboxylic composition comprising electrochem. oxidation stage of monosaccharide composition)

RN 672953-31-0 CAPLUS

CN Pentaric acid, 2-C-carboxy- (9CI) (CA INDEX NAME)



REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L11 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN


ACCESSION NUMBER: 1996:20665 CAPLUS

DOCUMENT NUMBER: 124:202745

ORIGINAL REFERENCE NO.: 124:37493a, 37496a

TITLE: Sonolysis and radiolysis of glyceraldehyde in de-aerated aqueous solution

AUTHOR(S): Fuchs, Eva; Heusinger, Helmut
 CORPORATE SOURCE: Institut Radiochemie, Technischen Universitaet
 Muenchen, Garching, D-85747, Germany
 SOURCE: Ultrasonics Sonochemistry (1995), 2(2), S105-S109
 CODEN: ULSOER; ISSN: 1350-4177
 PUBLISHER: Elsevier
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 AB The objective of this work was to contribute to the mechanism of the
 sonolytic and radiolytic reactions leading in deaerated aqueous solns. of
 sugars to products by radical-radical combination. For this purpose
 glyceraldehyde, the first homolog of the series of aldoses, was
 investigated. Primary glyceraldehyde radicals are produced by abstraction
 of carbon-bonded hydrogen atoms by sonolytic or radiolytic H and OH
 radicals. Secondary glyceraldehyde radicals are derived from primary
 radicals by elimination of water. Both kinds of radicals were found to
 participate in dimer production
 IT 174078-68-3
 RL: FMU (Formation, unclassified); FORM (Formation, nonpreparative)
 (sonolysis and radiolysis of glyceraldehyde in deaerated aqueous solution)
 RN 174078-68-3 CAPLUS
 CN Penturonic acid, 2-C-formyl- (9CI) (CA INDEX NAME)



=> FIL CAPLUS

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	16.20	501.97
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	-1.60	-17.60

FILE 'CAPLUS' ENTERED AT 15:02:52 ON 12 DEC 2008
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 12 Dec 2008 VOL 149 ISS 25
 FILE LAST UPDATED: 11 Dec 2008 (20081211/ED)

Caplus now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2008.

Effective October 17, 2005, revised CAS Information Use Policies apply.
They are available for your review at:

<http://www.cas.org/legal/infopolicy.html>

=> E MARSAIS FRANCIS/AU 25

E1	32	MARSAIS F/AU
E2	3	MARSAIS FLORENCE/AU
E3	97 -->	MARSAIS FRANCIS/AU
E4	1	MARSAIS J/AU
E5	1	MARSAIS OLIVIER/AU
E6	15	MARSAIS P/AU
E7	2	MARSAIS PAUL/AU
E8	3	MARSAK J/AU
E9	1	MARSAK JAN/AU
E10	3	MARSAK JIRI/AU
E11	1	MARSAK T L/AU
E12	2	MARSAK Z/AU
E13	5	MARSAK ZLATEK/AU
E14	1	MARSAKOV B A/AU
E15	1	MARSAKOV G P/AU
E16	36	MARSAKOV V A/AU
E17	2	MARSAKOVA LYUDMILA I/AU
E18	6	MARSAKOVA N V/AU
E19	1	MARSAKOVA V I/AU
E20	102	MARSAL A/AU
E21	5	MARSAL AGUSTI/AU
E22	3	MARSAL AGUSTIN/AU
E23	7	MARSAL ALBERTO/AU
E24	1	MARSAL ALONSO CARLOS/AU
E25	1	MARSAL ANDREU/AU

=> S (E3)

L12 97 ("MARSAIS FRANCIS"/AU)

=> E FEASSON CHRISTIAN/AU 25

E1	2	FEASLY CHARLES F/AU
E2	2	FEASSON C/AU
E3	19 -->	FEASSON CHRISTIAN/AU
E4	5	FEASSON L/AU
E5	3	FEASSON LEONARD/AU
E6	3	FEAST A A J/AU
E7	4	FEAST ALAN A J/AU
E8	2	FEAST ALAN ARTHUR JOHN/AU
E9	1	FEAST ALAN J/AU
E10	1	FEAST E C/AU
E11	1	FEAST GEORGE C/AU
E12	3	FEAST JAMES W/AU
E13	1	FEAST JIM/AU
E14	2	FEAST M/AU
E15	1	FEAST M M/AU
E16	109	FEAST M W/AU
E17	2	FEAST MARIEKE/AU
E18	16	FEAST MICHAEL/AU
E19	4	FEAST MICHAEL ALAN JOHN/AU
E20	11	FEAST MICHAEL W/AU
E21	5	FEAST N A/AU
E22	1	FEAST NICHOLAS A/AU
E23	4	FEAST S/AU
E24	11	FEAST SASKIA/AU
E25	4	FEAST TIMOTHY PAUL/AU

```
=> S (E2 OR E3)
      2 "FEASSON C"/AU
      19 "FEASSON CHRISTIAN"/AU
L13    21 ("FEASSON C"/AU OR "FEASSON CHRISTIAN"/AU)
```

```
=> E QUEGUINER GUY/AU 25
E1      1 QUEGUINER FRANCOIS/AU
E2     113 QUEGUINER G/AU
E3     222 --> QUEGUINER GUY/AU
E4      2 QUEGUINER I/AU
E5      4 QUEGUINER ISABELLE/AU
E6      1 QUEGUINER J M/AU
E7      4 QUEGUINER LAURENCE/AU
E8      1 QUEGUINER S/AU
E9      9 QUEHEILLALT D T/AU
E10     1 QUEHEILLALT DOUGLAS/AU
E11     18 QUEHEILLALT DOUGLAS T/AU
E12     1 QUEHEILLALT DOUGLAS TED/AU
E13     1 QUEHEN CINDY/AU
E14     2 QUEHEN JACQUES/AU
E15     1 QUEHEN LOIC/AU
E16     2 QUEHEN M/AU
E17     2 QUEHEN S/AU
E18     1 QUEHEN SABINE/AU
E19     9 QUEHENBERGER F/AU
E20     12 QUEHENBERGER FRANZ/AU
E21     1 QUEHENBERGER H/AU
E22     6 QUEHENBERGER O/AU
E23     48 QUEHENBERGER OSWALD/AU
E24     23 QUEHENBERGER P/AU
E25     49 QUEHENBERGER PETER/AU
```

```
=> S (E2 OR E3)
      113 "QUEGUINER G"/AU
      222 "QUEGUINER GUY"/AU
L14    335 ("QUEGUINER G"/AU OR "QUEGUINER GUY"/AU)
```

```
=> E IBERT MATHIAS/AU 25
E1      1 IBERT EDWARD ROBERT/AU
E2      1 IBERT J/AU
E3      5 --> IBERT MATHIAS/AU
E4      1 IBERTI U/AU
E5      3 IBERTI UBERTO/AU
E6      1 IBERTIS ACUNA MARIA S/AU
E7      1 IBERTIS ACUNA MARIA SOFIA/AU
E8      1 IBERTIS ACUNA MARIA TERESA/AU
E9      1 IBES B V/AU
E10     1 IBES JUNG M/AU
E11     1 IBES W/AU
E12     1 IBES WILHELMUS JOHANNES MARIA/AU
E13     1 IBES WIM J M/AU
E14     1 IBETTSON J/AU
E15     4 IBEWIRO B/AU
E16     1 IBEWIRO E B/AU
E17     1 IBEWUIKE J C/AU
E18     2 IBEWUIKE JOSEPH C/AU
E19     1 IBEWUILKE J C/AU
E20     1 IBEY B L/AU
E21     1 IBEY BENNETT/AU
E22     15 IBEY BENNETT L/AU
E23     1 IBEY BENNETT LUKE/AU
E24     1 IBEY REBECCA E M/AU
E25     1 IBEZIAKO CH/AU
```

=> S (E3)

L15 5 ("IBERT MATHIAS"/AU)

=> E COMINI SERGE/AU 25

E1	1	COMINI ROBERTO/AU
E2	6	COMINI S/AU
E3	7 -->	COMINI SERGE/AU
E4	1	COMINI SILVIA/AU
E5	1	COMINI T/AU
E6	7	COMINO A/AU
E7	2	COMINO A M/AU
E8	7	COMINO ALBERTO/AU
E9	10	COMINO ALEKSANDRA/AU
E10	2	COMINO ALESSIA/AU
E11	1	COMINO ALMENARA PABLO IGNACIO/AU
E12	4	COMINO C/AU
E13	1	COMINO CARLO/AU
E14	7	COMINO CINZIA/AU
E15	3	COMINO DELGADO R/AU
E16	6	COMINO DELGADO RAFAEL/AU
E17	2	COMINO E/AU
E18	1	COMINO EDMONDO/AU
E19	1	COMINO ELENA/AU
E20	2	COMINO EVA/AU
E21	3	COMINO G/AU
E22	8	COMINO GIOVANNI/AU
E23	2	COMINO ILARIA/AU
E24	1	COMINO ISABEL/AU
E25	1	COMINO M L/AU

=> S (E2 OR E3)

6 "COMINI S"/AU

7 "COMINI SERGE"/AU

L16 13 ("COMINI S"/AU OR "COMINI SERGE"/AU)

=> E GROSSEL JEAN MARC/AU 25

E1	1	GROSSEL HUBERT/AU
E2	1	GROSSEL J M/AU
E3	1 -->	GROSSEL JEAN MARC/AU
E4	18	GROSSEL M C/AU
E5	3	GROSSEL MARTHA/AU
E6	13	GROSSEL MARTHA J/AU
E7	64	GROSSEL MARTIN C/AU
E8	4	GROSSEL MARTIN CHRISTOPHER/AU
E9	9	GROSSEL P/AU
E10	6	GROSSEL PH/AU
E11	15	GROSSEL PHILIPPE/AU
E12	4	GROSSEL S S/AU
E13	3	GROSSEL STANLEY/AU
E14	45	GROSSEL STANLEY S/AU
E15	1	GROSSEL STANLY S/AU
E16	2	GROSSELCK J/AU
E17	1	GROSSELE BARBARA/AU
E18	1	GROSSELEIL JACQUES/AU
E19	1	GROSSELET OLIVIER/AU
E20	1	GROSSELFINGER F B/AU
E21	5	GROSSELFINGER FREDERICK B/AU
E22	1	GROSSELFINGER H/AU
E23	2	GROSSELFINGER HORST/AU
E24	1	GROSSELFINGER J/AU
E25	1	GROSSELFINGER KEVIN/AU

=> S (E2 OR E3)
 1 "GROSSEL J M"/AU
 1 "GROSSEL JEAN MARC"/AU
 L17 2 ("GROSSEL J M"/AU OR "GROSSEL JEAN MARC"/AU)

=> s l12 or l13 or l14 or l15 or l16 or l17
 L18 416 L12 OR L13 OR L14 OR L15 OR L16 OR L17

=> s l18 and polycarboxylic
 13917 POLYCARBOXYLIC
 L19 1 L18 AND POLYCARBOXYLIC

=> d l19

L19 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN
 AN 2004:218548 CAPLUS
 DN 140:277695
 TI Process for preparation of a polycarboxylic composition
 comprising an electrochemical oxidation stage of a monosaccharide
 composition
 IN Marsais, Francis; Feasson, Christian; Queguiner,
 Guy; Ibert, Mathias; Comini, Serge; Grossel,
 Jean Marc
 PA Roquette Freres, Fr.
 SO Fr. Demande, 31 pp.
 CODEN: FRXXBL
 DT Patent
 LA French
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	-----	----	-----	-----	-----
PI	FR 2844525	A1	20040319	FR 2002-11546	20020918
	FR 2844525	B1	20050603		
	WO 2004027118	A1	20040401	WO 2003-FR2702	20030912
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,				
	CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE,				
	GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK,				
	LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ,				
	OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM,				
	TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,				
	KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES,				
	FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR,				
	BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	AU 2003276334	A1	20040408	AU 2003-276334	20030912
	EP 1540038	A1	20050615	EP 2003-797338	20030912
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,				
	IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
	US 20050252785	A1	20051117	US 2005-528356	20050318
PRAI	FR 2002-11546	A	20020918		
	WO 2003-FR2702	W	20030912		

RE.CNT 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT